

Name: [REDACTED]

Group: [REDACTED]

Mark: [REDACTED]

/50

Grade: [REDACTED]

1. Binary values are extensively used within computer systems.

(a) What is the binary equivalent of the decimal number 231_{10} ? Show your working. [2]

(b) Hexadecimal values provide a summary of groups of binary digits. Convert the binary value 10101100_2 into hexadecimal. Show your working. [2]

(c) Represent the decimal value 2.75_{10} as an unsigned binary fixed point number, with the most significant 4 bits as the whole number part and the remaining 4 bits as the fractional part after the binary point. [2]

(d) Two's complement binary is used to represent negative values.

Represent -121_{10} as an 8-bit two's complement binary value. [2]

(e) Use two's complement 8-bit binary to calculate the answer to $98_{10} - 22_{10}$. Show your working. [4]

2. ASCII is a system used to represent characters in a computer system using a predetermined character set.

What is meant by a character set?

[1]

- (a) The ASCII code for the letter 'b' is 1100010_2 . How would the word "cab" be represented in 8-bit ASCII?

[2]

- (b) **Unicode** character encoding is used as an alternative coding system due to its larger character set. Explain why the ASCII character set is unsuitable in the modern world.

[2]

3. MAC addresses are used to uniquely identify network enabled hardware devices. They are written in the format of six pairs of hexadecimal digits: 3A:D2:48:9E:61:AC.

- a. Convert the first pair of digits 3A to binary.

[2]

- b. How many bytes will this MAC address occupy in a computer's memory?

[1]

- c. Explain why a MAC address is expressed in hexadecimal rather than pure binary. [1]

4. The 7-bit ASCII representations of the digits 0-9 are 011 0000 to 011 1001.

- (a) What is the ASCII representation of the number 3?

[1]

- (b) Convert this representation to denary.

[1]

- (c) The 7-bit ASCII representations of the letters A – Z are 100 0001 to 101 1010. Represent the word BEAD in binary in a 32 bit byte.

[3]

5. Below are extracts from the ASCII and EBCDIC character sets.

ASCII

Denary Value	65	66	67	68	69	70	71	72	73	74	75	76	77
Character	A	B	C	D	E	F	G	H	I	J	K	L	M
Denary Value	78	79	80	81	82	83	84	85	86	87	88	89	90
Character	N	O	P	Q	R	S	T	U	V	W	X	Y	Z

EBCDIC

Denary Value	193	194	195	196	197	198	199	200	201	...	209	210	211	212
Character	A	B	C	D	E	F	G	H	I	...	J	K	L	M
Denary Value	213	214	215	216	217	...	226	227	228	229	230	231	232	233
Character	N	O	P	Q	R	...	S	T	U	V	W	X	Y	Z

Explain, referring to ASCII and EBCDIC, what would happen if computers were to use different character sets when communicating.

[2]

6. Asim is the head of a chess club. One of his jobs is to send out a monthly newsletter.

For the newsletter, club members send in descriptions of games they play using chess notation, which consist of a sequence of symbols, letters and numbers. It is important that these descriptions are accurate.

One member sends in the description as a plain text file. The text file is saved using Unicode, an extract of which is shown below.

♠e4 ♜c5

- i. Explain what is meant by the term 'Unicode'.

[3]

When Asim opens this file on the text editor on his computer it looks as below.

□e4 □c5

- ii. Explain why the text may not be displaying correctly.

[2]

7. Computers store data as bytes.

- a. How many bits make up a byte?

[1]

- b. Add the following unsigned 8-bit binary integers: Show your working.

[2]

1	1	1	1	1				
	0	1	1	1	1	1	0	0
	1	0	0	1	1	0	1	1
1	0	0	0	1	0	1	1	1

- c. Explain the problem that has resulted from the calculation above using 8 bits.

[1]

8. a) Show how the numbers 3 and -9 would be represented in one byte using sign and magnitude.

[1]

- b) Why is this method of representing negative numbers not commonly used in computer processors?

[2]

9(a) Convert the binary number 01101111 to a hexadecimal number.

.....
..... [1]

(b) Convert the denary number -19 to an 8-bit number using:

(i) Two's complement representation.

.....
..... [1]

(ii) Sign and Magnitude representation.

.....
..... [1]

(c) The two values below are stored using unsigned binary. Calculate the subtraction of 01110010 from 11000011.

Show your working.

11000011
01110010 -

(d) Convert the denary number 15/8 (i.e. 1.625) to a normalised floating point binary number using 5 bits for the mantissa and 3 bits for the exponent. Show your working.

.....
.....
.....
.....
.....

(e) Represent the number 55 in normalised floating point binary notation, with the mantissa and exponent both in two's complement binary, using as few bits as possible.

.....
.....
.....

END OF PAPER

